It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supplies within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Testmeters required for the Mental Hospital" with the above enquiry number.

This enquiry will be closed on the 2nd November 1953.

SCHEDULE.

F.O.R., Bangalore

1. Treplett Meter Model–331 S.A.C. 0-250 complete.
2. Avo meter model, 7-50 ranges, universal complete with test chord and prod.
3. Variac transformer 2 K.V.A.

N.B.—1. The quotations with firm prices will be preferred.
2. Sales-tax, if any, should be quoted separately.
3. The quotations will be opened at 2 P.M. on the next working day after the closing date.

5120(c)

Dated 13th October 1953.

To

The Firms dealing in Electrical Spray.

Enquiry No. 11903.

Subject :— Colour spray unit required for the Krishnarajasagar Division.

Gentlemen,

No. S.P.C. 36215-44. Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the undermentioned suchedule in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Colour Spray Unit" with the above enquiry number.

This enquiry will be closed on the 3rd November 1953.

SCHEDULE.

F.O.R., Belagula.

Spray Unit suitable for operation on AC/DC mains, 220 volts. 50 cycles. complete with spray Gunfitted with 1/5 H.P. motor ... ...

N.B.—1. Quotations with firm prices will be preferred.
2. Sales-tax, if any, should be quoted separately.
3. The quotations will be opened at 2 P.M. on the next working day after the closing date.

5070(a)

Dated 13th October 1953.

To

The Firms dealing in Machinery.

Enquiry No. 11904.

Subject :—Materials required for Motor Pumps at the Thungabhadra Valley Circle.

Gentlemen,

No. S.P.C. 36245-74. Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the attached schedule.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellation of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Materials required for Motor Pumps at the Thungabhadra Valley Circle", with the above enquiry number.

This enquiry will be closed on the 9th November 1953.

SCHEDULE.

			Quantity
1	Ball Bearing SKF 6305 R. T.	... ...	18
2	Ball Bearing SKF 6404 LH. 4	... ...	12
3	Grease Nipples 3/8"	... ...	24
4	Grease Cups 1/2".	... ...	24
5	Hydraulic Leather	... ...	30 Lbs.
6	Rubber Sheet 1/16" to 3/32".	... ...	50 Lbs.
7	50 H. P. Kirloskar Pumping Set coupling Blots	...	2 Doz.
8	5 H.P. Kirloskar Pumping Set coupling rubber bushings		6 Doz.
9	50 H. P. Kirloskar Pumping Set coupling bushes	...	2 Doz.
10	5 H.P. Kirloskar Pumping Set coupling rubber bushings		6 Doz.
11	Screw Holders 1000 Watts (Goliath Thread)	...	12
12	Ordinary Brass Holders	... ...	24
13	Insulation Varnish	... ...	2 Gallons
14	Insulation and cambric tapes 1/2" to 3/4" width	...	24

N. B.—1. Quotations with firm prices and from ready stocks are preferred.
2. Prices may be quoted for delivery f. o. r. Tarikere (Mysore State).
3. Sales-tax, if any, should be quoted separately.
4. Quotations may be submitted in duplicate.
5. No enhancement in prices will be allowed after the acceptance of the quotation.
6. Whether your firm has been registered in the Stores Purchase Committee Office as per new rules, may be mentioned.
7. Quotations will be opened at 2 P.M. on the next working day after the closing date.

5070

Dated 13th October 1953.

To

The Firms dealing in Machinery.

Enquiry No. 11905.

Subject :—Electrically driven lifts required by the Vidhana Soudha Division.

Dear Sir/Gentlemen,

No. S.P.C. 36275-300. Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the undermentioned schedule in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Electrically driven lifts required by the Vidhana Soudha Division", with the above enquiry number.

This enquiry will be closed on the 1st December 1953.

SCHEDULE.

Item No.	Description of material offered	Quantity	Price quoted F.O.R. Bangalore.	Time of delivery
1.	Electrically driven Passenger Lifts—			
	(a) Electrically driven—capacity 20 persons, dimensions of lift 6'—3"×6'—3" Maximum lift capacity 100 feet ...	Two	...	...
	(b) Electrically driven capacity 12 persons, dimensions of lift 5'—0"×5'—3". Maximum lift capacity 100 feet ...	Two	...	..
	(c) Electrically driven capacity 12 persons, dimensions of lift 5'—0"×5'—3". Maximum lift capacity 80 feet ...	One	...	...

N.B.—1. quotations with firm prices will be preferred.
2. Sales-tax, should be quoted separately.
3. No enhancement of prices will be allowed after the acceptance of the tender.
4. Quotations may be sent in duplicate.
5. Whether your firm has been registered in the Stores Purchase Committee Office, as per new rules, may be mentioned.
6. The quotations will be opened at 2 P.M. on the next working day after the closing date of the enquiry.

5070